



## Firmware for EDS-P510A Series Release Notes

|                                   |                              |
|-----------------------------------|------------------------------|
| <b>Version: v3.8</b>              | <b>Build: Build_17041115</b> |
| <b>Release Date: May 04, 2017</b> |                              |

### Applicable Products

EDS-P510A-8PoE-2GTXSFP, EDS-P510A-8PoE-2GTXSFP/KC, EDS-P510A-8PoE-2GTXSFP-T, EDS-P510A-8PoE-2GTXSFP-T/KC

### Supported Operating Systems

N/A

### New Features

N/A

### Enhancements

- Added warning message when default password was not changed.
- Encrypted security keys in the user interface.
- Enhanced RSTP compatibility.

### Bugs Fixed

- Cross-site scripting vulnerability.
- Denial of Service attack vulnerability.
- Privilege escalation vulnerability.
- SSL v2/v3 vulnerability in HTTPS.
- Web console cannot be accessed when the SNMP get bulk service is running.
- Specific CLI command caused the switch to reboot with default settings.
- Add a new VLAN will change IGMP querier state from disable to enable.
- Saving configuration to ABC-01 cannot be performed via IE browser.
- Rate limit cannot be set in web UI.
- Telnet hangs after SSH disabled.
- Corrected RSTP edge definition in exported configuration file.
- Corrected authorization of Radius/TACACS+ login.
- Corrected RSTP Auto-Edge behavior.
- After the firmware has been upgraded, the system may perform a warm start when the user logs in to the switch.

### Changes

N/A

### Notes

N/A



|                          |                              |
|--------------------------|------------------------------|
| <b>Version: v3.5</b>     | <b>Build: Build_15051416</b> |
| <b>Release Date: N/A</b> |                              |

### **Applicable Products**

EDS-P510A-8PoE-2GTXSFP, EDS-P510A-8PoE-2GTXSFP/KC, EDS-P510A-8PoE-2GTXSFP-T, EDS-P510A-8PoE-2GTXSFP-T/KC

### **Supported Operating Systems**

N/A

### **New Features**

- Added new Multicast Fast Forwarding Mode.

### **Enhancements**

- Increased IGMP Groups to 1024 (original 256 groups).
- Improved Turbo Chain link status check mechanism at the head port.

### **Bugs Fixed**

N/A

### **Changes**

N/A

### **Notes**

N/A



|                          |                              |
|--------------------------|------------------------------|
| <b>Version: v3.4</b>     | <b>Build: Build_15010916</b> |
| <b>Release Date: N/A</b> |                              |

**Applicable Products**

EDS-P510A-8PoE-2GTXSFP, EDS-P510A-8PoE-2GTXSFP/KC, EDS-P510A-8PoE-2GTXSFP-T, EDS-P510A-8PoE-2GTXSFP-T/KC

**Supported Operating Systems**

N/A

**New Features**

N/A

**Enhancements**

N/A

**Bugs Fixed**

- Web user interface displayed errors under Java 8 environments.

**Changes**

N/A

**Notes**

N/A



|                          |                   |
|--------------------------|-------------------|
| <b>Version: v3.3</b>     | <b>Build: N/A</b> |
| <b>Release Date: N/A</b> |                   |

### **Applicable Products**

EDS-P510A-8PoE-2GTXSFP, EDS-P510A-8PoE-2GTXSFP/KC, EDS-P510A-8PoE-2GTXSFP-T, EDS-P510A-8PoE-2GTXSFP-T/KC

### **Supported Operating Systems**

N/A

### **New Features**

N/A

### **Enhancements**

- Added web interface for loop-protection enable/disable.
- Added web interface for SSH/SSL key generation.
- Added SNMP MIB for SFP DDM (Diagnostics).
- Added web interface/CLI/SNMP for NTP/SNTP client settings.

### **Bugs Fixed**

- Login failed in CLI mode when the password contained special characters.
- Hybrid VLAN lacked an SNMP MIB object.
- SFP DDM (Diagnostics) displayed inaccurate values.
- IEEE 1588 PTP did not function correctly.
- The configuration import was restricted if the system name was too long.
- Login authentication failed if the radius server did not support privilege levels assignment.
- DIP switch "Coupler" On/Off is malfunction.

### **Changes**

N/A

### **Notes**

N/A



|                          |                   |
|--------------------------|-------------------|
| <b>Version: v3.1</b>     | <b>Build: N/A</b> |
| <b>Release Date: N/A</b> |                   |

**Applicable Products**

EDS-P510A-8PoE-2GTXSFP, EDS-P510A-8PoE-2GTXSFP/KC, EDS-P510A-8PoE-2GTXSFP-T, EDS-P510A-8PoE-2GTXSFP-T/KC

**Supported Operating Systems**

N/A

**New Features**

- New release for the EDS-P510A-8PoE Series.

**Enhancements**

N/A

**Bugs Fixed**

N/A

**Changes**

N/A

**Notes**

N/A