



## MXconfig Series (non-Java version) Release Notes

<b>Version: v3.1.2</b>	<b>Build: 21062514</b>
<b>Release Date: Jun 30, 2021</b>	

### Applicable Products

EDR-810, EDR-G902, EDR-G903, EDR-G9010, EDS-405A/408A, EDS-405A/408A-EIP, EDS-405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS-528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICS-G7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICS-G7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4012-L3, MDS-G4020-L3, MDS-G4028-L3 Series, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT-7828/7828-PTP, PT-508/510, TN-4516A/4524A/4528A, TN-4908, TN-5916, TN-G6512-8PoE/G4516-8PoE, MDS-G4000-10G-cvf

### Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

### New Features

- Supports CLI for MXnos switches.
- Supports the device locator function for MXnos switches.
- The password for MXnos switches can now be changed.

### Enhancements

N/A

### Bugs Fixed

N/A

### Changes

- Support new devices: EDR-G9010 Series, TN-4908 Series, MDS-G4012-L3 Series, MDS-G4020-L3 Series, MDS-G4028-L3 Series

### Notes

N/A



<b>Version: v3.1</b>	<b>Build: 21042814</b>
<b>Release Date: Apr 30, 2021</b>	

### **Applicable Products**

EDR-810, EDR-G902, EDR-G903, EDS-405A/408A, EDS-405A/408A-EIP, EDS-405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS-528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICS-G7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICS-G7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4000, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT-7828/7828-PTP, PT-508/510, TN-4516A/4524A/4528A, TN-5916, TN-G6512-8PoE/G4516-8PoE

### **Supported Operating Systems**

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

### **New Features**

A Java license is no longer required.

### **Enhancements**

N/A

### **Bugs Fixed**

N/A

### **Changes**

The following devices are now supported: TN-4516A/4524A/4528A, TN-G6512-8PoE/G4516-8PoE, MDS-G4000-10G-cvf.

### **Notes**

N/A



<b>Version: v3.0</b>	<b>Build: 20122819</b>
<b>Release Date: Jan 01, 2021</b>	

### Applicable Products

EDR-810, EDR-G902, EDR-G903, EDS-405A/408A, EDS-405A/408A-EIP, EDS-405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS-528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICS-G7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICS-G7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT-7828/7828-PTP, PT-508/510, TN-5916, MDS-G4000

### Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

### New Features

- A Java license is no longer required.

### Enhancements

N/A

### Bugs Fixed

N/A

### Changes

Only the following features are included:

- Device Search: Broadcast Search, Specific IP Search, IP List Search
- System File Update: Upgrade Firmware, Export Configuration, Import Configuration, Copy Configuration
- Network Settings, Password Settings, Device Locator, Device Console, Telnet Console, Connectivity Test, Unlock Device, Security Wizard, Execute CLI, Reboot, Factory Default
- Multiple Setting: Accessible IP, Account Lockout, Auth Server Settings, Auto Logout, Broadcast Storm Protection, Configuration Encryption, Day Light Saving, GVRP, IGMP Snooping, Industrial Protocol, LLDP Setting, Line Swap Fast Recovery, Management Interface, NTP, Password, Password Policy, SNMP Configuration, Syslog, System Notification, Telnet Console Setting, Time, Trap Configuration
- Preference: SNMP Configuration, Management Interface
- Link Sequence Detection

### Notes

N/A