



ioAdmin Configuration Utility Release Notes

Version: v3.19	Build: Build16101715
Release Date: Oct 17, 2016	

Applicable Products

ioLogik E2200 Series, ioLogik R2140, ioLogik W5340-HSPA Series, NA-4010, NA-4020, NA-4021

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

New Features

N/A

Enhancements

- Uses the new installShield.
- Allowed 1 Message setting only (i.e. Active message, CGI, E-mail, or SMS) for all THEN or all ELSE actions in one rule.

Bugs Fixed

N/A

Changes

N/A

Notes

N/A



Version: v3.18	Build: Build16022511
Release Date: N/A	

Applicable Products

ioLogik E2200 Series, ioLogik R2140, ioLogik W5340-HSPA Series, NA-4010, NA-4020, NA-4021

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

New Features

N/A

Enhancements

- Updated the device wiring guide.
- Supports advanced encryption for the password in the configuration file for the ioLogik E2200 Series.

Bugs Fixed

- Fixed the inability to set the value of the virtual channel from -0.1 to -0.9 for the ioLogik W5300 Series.

Changes

N/A

Notes

N/A



Version: v3.17	Build: Build14041113
Release Date: N/A	

Applicable Products

ioLogik E2200 Series, ioLogik R2140, ioLogik W5340-HSPA Series, NA-4010, NA-4020, NA-4021

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

New Features

N/A

Enhancements

- Supports the Moxa green core design.
- The W5340-HSPA model supports changing the SMTP port number.

Bugs Fixed

N/A

Changes

N/A

Notes

N/A



Version: v3.16	Build: Build 14012415
Release Date: N/A	

Applicable Products

ioLogik E2200 Series, ioLogik R2140, ioLogik W5340-HSPA Series, NA-4010, NA-4020, NA-4021

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

New Features

- Supports the ioLogik W5340-HSPA.

Enhancements

N/A

Bugs Fixed

N/A

Changes

N/A

Notes

N/A



Version: v3.15	Build: Build13052215
Release Date: N/A	

Applicable Products

ioLogik E2200 Series, ioLogik R2140, NA-4010, NA-4020, NA-4021

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

New Features

- Supports the ioLogik E2200-T Series models.

Enhancements

- Improves Auto Search UI for module selection.
- Restricted the Click&Go timer setting range from 0 to 4294967 to prevent error value settings.

Bugs Fixed

N/A

Changes

N/A

Notes

N/A



Version: v3.14	Build: Build12112118
Release Date: N/A	

Applicable Products

ioLogik E2210, ioLogik E2212, ioLogik E2214, ioLogik E2240, ioLogik E2242, ioLogik E2260, ioLogik E2262, ioLogik R2140, NA-4010, NA-4020, NA-4021

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

New Features

N/A

Enhancements

N/A

Bugs Fixed

- Fix issue while E2242 DIO all select DO, DI setting page not be restricted.
- Fix W5340-HSPDA add expansion modules – modules description error.
- Fix W5340-HSPDA add expansion modules – cannot add ioLogik E1212.

Changes

N/A

Notes

N/A